



# 2023 CATALOG



INNOVATORS IN HOME AIR DISTRIBUTION PRODUCTS



## A RICH HISTORY IN AIR VENTILATION

Dundas Jafine is a renowned manufacturer of air distribution products. For over 80 years, we have been bringing the finest quality air movement products to the marketplace.

The driving force behind any successful company is a vision. A sense of corporate purpose that trickles down through all areas of the organization.

At Dundas Jafine, there is a commitment to do whatever it takes to build on our industry leadership position to satisfy the needs of our customers.

### A COMMITMENT TO QUALITY

Dedicated to continuous improvement, Dundas Jafine's quality is reflected in the materials used in our production and the excellence of our manufacturing processes.

### A COMMITMENT TO SERVICE

Dundas Jafine puts the customer first, satisfying demands, listening to concerns and acting upon requests.

### A COMMITMENT TO THE FUTURE

Supporting our customers by developing new and innovative products, competitive pricing, strong promotional programs and a "Do it right the first time" order processing is our promise.

<b>Exhaust Hoods</b>	<b>3</b>
ProSeries Hoods	4
Aluminum Hoods	9
<b>Exhaust Caps</b>	<b>11</b>
ProSeries Caps	12
Soffit Exhaust Caps	16
ProClean Pest Barricade	18
Roof Caps	19
Replacement Cap and Gasket Kit	20
<b>Ducts</b>	<b>21</b>
Dryer Vent Ducts	22
Semi-Rigid Aluminum Dryer Ducts	23
Space Saver Dryer Ducts	24
Aluminum Pipe	25
Marine Blower Hose	26
General Purpose Ducts	27
Insulated Ducts	33
<b>Kits</b>	<b>37</b>
Appliance Vent Kits	38
Bathroom Fan Vent Kits	42
Heat Keeper Kit	43
Dryer Hook-Up Kits	44
<b>Accessories</b>	<b>49</b>
ProClean Kit and Brushes	50
Connectors	53
Elbows	58
Recessed Dryer Vent Boxes	59
Draft Blocker	61
Clamps	62
Pest Screen	65
J-Channels	66
Increases and Decreasers	67
Air Register Deflectors and Covers	69
Air Filters	73
Insulation Sleeves	74
Aluminum Repair Rolls	77
Dryer Duct Lint Trap	78
<b>General Air Distribution</b>	<b>79</b>
Intake Hoods	80
Intake Caps	82
Air Diffusers	83

# EXHAUST HOODS



**NUT DRIVER READY!**



- Wide mouth design provides maximum airflow
- Removable pest screen for easy cleaning of lint and debris
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- UV resistant plastic prevents discoloration
- Molded edge helps maintain a clean caulking application



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
PMH4BLKXZ	420094	4"	Bulk - Black	12	11	3.95
PMH4WXZ	268146	4"	Bulk - White	12	11	3.95
PMH4WZW	268177	4"	Bulk / Retail Cut Case - White	12	11	3.99
PMH4WZWS	268177	4"	Bulk / Retail Cut Case for Gondolas - White	12	11	3.99
BPMH4WZW	268191	4"	Retail Box / Cut Case - White	12	11	3.18
BPMH4BLKZW6	420063	4"	Retail Box / Cut Case - Black	6	6	1.54
BPMH4WZW6	268191	4"	Retail Box / Cut Case - White	6	6	1.54

**Material:** Polypropylene with UV inhibitor

Collar Size	Assembled Dimensions		
	H	W	D
4"	6.75"	6.25"	15"



Also available in black.

Scan this QR code to view installation, feature and benefit videos





**NUT DRIVER READY!**

- Cammed louvers easily pivot to help prevent sticking
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- UV resistant plastic prevents discoloration
- Molded edge helps maintain a clean caulking application
- Designed to snap on/off j-channels



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
LH3WXZ	270798	3"	Bulk - White	12	7	3.39
LH4BLKXZ	420070	4"	Bulk - Black	12	7	3.39
BLH4BLKZW6	420049	4"	Retail Box / Cut Case - Black	6	5	1.54
LH4WXZ	270774	4"	Bulk - White	12	7	3.39
BLH4WZW	270699	4"	Retail Box / Cut Case - White	12	7	3.18
BLH4WZW6	270699	4"	Retail Box / Cut Case - White	6	5	1.54
LH5WXZ	270941	5"	Bulk - White	12	11	6.41
LH5WXZW	270675	5"	Bulk / Cut Case - White	8	7	3.35
LH6BLKXZ	420087	6"	Bulk - Black	12	11	6.41
BLH6BLKZW	420056	6"	Retail Box / Cut Case - Black	5	5	1.32
LH6WXZ	270965	6"	Bulk - White	12	11	6.41
BLH6WZW	270989	6"	Retail Box / Cut Case - White	5	13	1.32

**Material:** Polypropylene with UV inhibitor



Collar Size	Assembled Dimensions		
	H	W	D
3", 4"	6.75"	6.25"	11.5"
5", 6"	10"	9.38"	11.5"

Also available in black.



Scan this QR code to view installation, feature and benefit videos



- Cammed louvers easily pivot to help prevent sticking
- Low profile pest guard can be easily removed for cleaning
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PGH4WXZ	602056	4"	Bulk - White	12	8	3.41
BPGH4WZW	602049	4"	Retail Box / Cut Case - White	12	10	3.18
BPGH4WZW6	602049	4"	Retail Box / Cut Case - White	6	6	1.56

**Material:** Polypropylene with UV inhibitor

Collar Size	Assembled Dimensions		
	H	W	D
4"	7.25"	6.5"	13.5"



Scan this QR code to view installation, feature and benefit videos



**NUT DRIVER READY!**

- Hinged louvered damper system locks in open position for easy removal of lint and debris
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BHLH4WZW	272006	4"	Retail Box / Cut Case - White	6	5	1.56

**Material:** Polypropylene with UV inhibitor

Collar Size	Assembled Dimensions		
	H	W	D
4"	6.75"	6.25"	11.5"



Scan this QR code to view installation, feature and benefit videos



- Spring loaded damper system offers complete noise control with no flapping of louvers or dampers during inclement weather
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Prevents pests from entering the vent
- Center shield can be removed for ease of cleaning
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look and replacement



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BPSH4WZW	801015	4"	Retail Box / Cut Case - White	4	4	1.31
PSH4WXZ	801022	4"	Bulk - White	8	7	2.36


**Material:** Polypropylene with UV inhibitor

Collar Size	Assembled Dimensions	
	C	D
4"	8"	11.5"



Scan this QR code to view installation, feature and benefit videos

# EXHAUST VENT ASSEMBLY



- Classic, low profile design
- All aluminum product will not warp or crack
- Damper helps to prevent cold air backdraft



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PVB3EAL	130290	3"	Bulk	12	5	1.98
PVB4EAL	130306	4"	Bulk	12	6	2.55

**Material:** Aluminum

Collar Size	Assembled Dimensions		
	H	W	D
3"	6.38"	4.75"	13"
4"	6.25"	5.94"	13.75"



Scan this QR code to view installation, feature and benefit videos

## FIND THE RIGHT PRODUCT FOR YOUR VENTING NEEDS

### Hoods, Caps and Vent Kits



#### APPLICATION



#### SOLUTIONS

Easy to Clean		✓	✓	✓	✓	
Tight Space Dryer Hook Up	✓	✓	✓	✓	✓	
Keeps Cold Out			✓		✓	✓
Pest Control			✓	✓	✓	✓
Nut Driver Compatible	✓	✓	✓			
Offers Sound Dampening			✓		✓	✓
Available Sizing	3" - 8"	4"	4"	4"	4"	4" - 6"



CLOTHES DRYER



BATHROOM FAN



KITCHEN RANGE HOOD

# EXHAUST CAPS



**NUT DRIVER READY!**

- Removable pest screen for easy cleaning of lint and debris
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
PMC4BLKX	268252	4"	Bulk - Black	24	17	2.79
PMC4BLKXZW	268986	4"	Bulk / Cut Case - Black	6	4	1.00
PMC4WX	268061	4"	Bulk - White	24	17	2.79
PMC4WXZW	268054	4"	Bulk / Cut Case - White	6	4	1.00

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions		
	H	W	D
4"	6.75"	6.25"	5"



Also available in black.



Scan this QR code to view installation, feature and benefit videos





**NUT DRIVER READY!**

- Cammed louvers easily pivot to help prevent sticking
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
LC3WX	270712	3"	Bulk - White with built in pest screen	54	18	2.82
LC4BLKX	268351	4"	Bulk - Black	54	18	2.82
LC4BLKXZW	268450	4"	Bulk / Cut Case - Black	10	3	0.56
LC4WX	270736	4"	Bulk - White	54	18	2.82
LC4WXZW	270736	4"	Bulk / Cut Case - White	10	3	0.56
LC4WZW	271146	4"	Retail Bag / Cut Case - White	10	3	0.56
LC5WX	270903	5"	Bulk - White with built in pest screen	36	22	3.60
LC6BLKX	268474	6"	Bulk - Black with built in pest screen	36	22	3.66
LC6WX	270927	6"	Bulk - White with built in pest screen	36	22	3.60
LC7WX	271092	7"	Bulk - White with built in pest screen	32	27	5.07
LC7WXZ	271092	7"	Bulk - White with built in pest screen	7	4.5	1.17
LC8BLKX	291533	8"	Bulk - Black with built in pest screen	24	27	5.07
LC8WX	271115	8"	Bulk - White with built in pest screen	24	27	5.07
LC8WXZ	271115	8"	Bulk - White with built in pest screen	7	4.5	1.17

**Material:** Polypropylene with UV inhibitor



Collar Size	Dimensions		
	H	W	D
3", 4"	6.75"	6.25"	1.63"
5", 6"	10"	9.384"	1.75"
7", 8"	12"	11.13"	1.75"

Also available in black.



Scan this QR code to view installation, feature and benefit videos



- Cammed louvers easily pivot to help prevent sticking
- Low profile pest guard can be easily removed for cleaning
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PGC4WX	602032	4"	Bulk - White	40	21	3.07
PGC4WXZW	602117	4"	Bulk / Cut Case - White	4	2	0.50

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions		
	H	W	D
4"	7.25"	6.5"	3.75"



Scan this QR code to view installation, feature and benefit videos





- Spring loaded damper system offers complete noise control with no flapping of louvers or dampers during inclement weather
- Prevents pests from entering the vent
- Center shield can be removed for ease of cleaning
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look and replacement



Product Code	UPC Code	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PSC4WX	801039	4"	Bulk - White	36	14	3.87

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions	
	C	D
4"	8"	1.17"



Scan this QR code to view installation, feature and benefit videos



- Mounts under soffit panel and connects to 4", 5" or 6" duct
- Frost-free damper system keeps cold air out and helps conserve energy
- Can be painted to match the home's exterior
- Stylish flush mount design
- Outer grill and flap prevents pests from entering the home
- UV resistant plastic protects cap from harmful effects of the sun
- Available in black

**NOTE:**  
Not for use with perforated soffits



Product Code	UPC Code	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SEVPX	800025	4", 5", 6"	Bulk	32	14	3.07
SEVZW	800018	4", 5", 6"	Retail Box / Cut Case	5	5	0.89
SEVBLKX	2315444	4", 5", 6"	Bulk	32	5	3.07

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions	
	C	D
4", 5", 6"	8.2"	3.6"

Now available in black.



Scan this QR code to view installation, feature and benefit videos



- Allows for the dryer to be exhausted through the soffit instead of the wall
- UV resistant plastic protects cap from harmful effects of the sun
- Can be painted to match the home's exterior
- Damper acts as a guard against pests and rodents from entering the duct



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SDV4WXZW4	800049	4"	Bulk / Cut Case	4	2.5	1.00

**Material:** Polypropylene with UV inhibitor



Scan this QR code to view installation, feature and benefit videos



- Compatible with most 3" & 4" exhaust caps
- Helps to prevent unwanted pests from entering the duct or home
- Features a hinged frame that locks in the open position for easy removal and cleaning of lint



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PBH50BLKZW	602186	4"	Bulk - Cut Case - Black	10	3.6	0.80
PB50BWZW	602124	4"	Bulk - Cut Case - White	10	3.6	0.80

**Material:** Polystyrene

Collar Size	Dimensions		
	H	W	D
4"	8.5"	7"	5"

Also available in white.



Scan this QR code to view installation, feature and benefit videos



- Ideal for exhausting kitchen or bathroom fans through the roof
- UV resistant stabilizer helps prevent discoloration
- Molded barrier ring helps prevent leakage
- Includes a removable collar for easy duct connection / installation



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
RL4P	245208	4"	Bulk - Black	4	6	2.29
RL4PZW	245215	4"	Bulk / Cut Case - Black	4	6	2.04
RL6P	245017	6"	Bulk - Black	4	6	2.29
RL6PZW	245024	6"	Bulk / Cut Case - Black	4	6	2.04

**Material:** High Impact Copolymer

Collar Size	Dimensions		
	H	W	D
4" - 6"	6.5"	11.3"	13.75"



- Quick and easy solution for damaged or hard to remove vent caps
- New vent cap installs over the existing one, eliminating the need for removal
- Eliminates the possibility of damage to the siding, brick or stucco through removal process of old cap
- Fits all existing louvered 4" vent caps
- Kit can be used with Dundas Jafine ProVent, ProGard, EzAccess and ProMax products



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
EZFXZW	803002	4"	Retail Box / Cut Case - White	8	4	0.09

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions		
	H	W	D
4"	7.5"	7.5"	2.88"



Scan this QR code to view installation, feature and benefit videos



Scan this QR code to view installation, feature and benefit videos

# DUCTS



- Ideal for both gas and electric dryer applications
- UL2158A listed and marked for safe dryer venting
- Constructed of heavy duty, fire resistant aluminum foil laminate that encapsulates a high density, corrosion resistant wire helix

**NOTE:**

Per UL2158A, only ducts 8' or less can be UL marked



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BTD45	600052	4" x 5'	Retail Box	18	16	1.44
BTD48	600106	4" x 8'	Retail Box	18	18	1.44
BTD48ZW	600106	4" x 8'	Retail Box / Cut Case	24	21	1.50
BTD48TC	600090	4" x 8' with tension clamps	Retail Box	18	18	1.44
BTD420ZW	600212	4" x 20'	Retail Box / Cut Case	10	21	2.37
TD425	600250	4" x 25'	Standard Box	1	3	0.44
TD450	600304	4" x 50'	Standard Box	1	6	0.60
TD45TC	600144	4" x 5' with tension clamps	Bulk	12	8	1.08
TD48TC	600151	4" x 8' with tension clamps	Bulk	12	8	1.08



Scan this QR code to view installation, feature and benefit videos






- All aluminum duct is ideal for applications where code requires an all aluminum product
- Totally non combustible with a maximum operating temperature of 435°F
- The UL 2158A listed and marked class 0 version is thicker than the standard duct and incorporates new technology that allows for easy rotation and more durable handling



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MFX42CULXZW	134823	4" x 2' UL duct with collars	Bulk / Cut Case	12	4.6	1.49
MFX45	130672	4" x 5'	Retail Bag	10	8	3.14
MFX45X	130733	4" x 5'	Bulk	10	7	3.14
MFX46C2XZW	132003	4" x 6' with collars	Bulk / Cut Case	16	13	5.14
MFX48	130689	4" x 8'	Retail Bag	10	10	3.14
MFX48ULXZW	134779	4" x 8' UL listed and marked	Bulk / Cut Case	16	16.5	5.14
MFX48X	134670	4" x 8'	Bulk	10	10	3.14
MFX48XZW	137015	4" x 8'	Bulk / Cut Case	16	13	5.14




Scan this QR code to view installation, feature and benefit videos



- For use in tight fitting clothes dryer applications
- Allows the dryer to be placed only 3" from the wall, for optimum space utilization
- Two piece aluminum construction
- Extends from 28" - 45" in length



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
UD48	500260	4"/90° inlet, 90° outlet	Retail Box	4	8	2.06
UD48S	500277	4"/90° inlet, straight outlet	Retail Box	4	8	2.06



Scan this QR code to view installation, feature and benefit videos



- Incorporates a snap lock feature for easy opening and closing of pipe
- Used for venting most types of heating units

NOTE:  
Should not be used for in-wall applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
P3E20ZW	300822	3" x 24" - 0.012"	Bulk / Cut Case	20	6	0.95
P3E	130146	3" x 24" - 0.012"	Bulk	40	12	0.77
P4E20ZW	300815	4" x 24" - 0.012"	Bulk / Cut Case	20	9	0.95
P4E	130139	4" x 24" - 0.012"	Bulk	40	17	0.77
P430	130177	4" x 30" - 0.012"	Bulk	20	10	0.80
P460	300754	4" x 60" - 0.012"	Bulk	20	20	0.83



Scan this QR code to view installation, feature and benefit videos



- All aluminum duct is ideal for applications where code requires an all aluminum product
- Totally non combustible with a maximum operating temperature of 435°F
- The UL 2158A listed and marked class 0 version is thicker than the standard duct and incorporates new technology that allows for easy rotation and more durable handling



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MFX38	130702	3" x 8'	Retail Bag	10	8	2.01
MFX38X	133680	3" x 8'	Bulk	10	8	2.01
MFX38XZW	130702	3" x 8'	Bulk / Cut Case	12	10	2.37
MFX42CULXZW	134823	4" x 2' UL duct with collars	Bulk / Cut Case	12	4.6	1.49
MFX45	130672	4" x 5'	Retail Bag	10	8	3.14
MFX45X	130733	4" x 5'	Bulk	10	7	3.14
MFX46C2XZW	132003	4" x 6' with collars	Bulk / Cut Case	16	13	5.14
MFX48	130689	4" x 8'	Retail Bag	10	10	3.14
MFX48ULXZW	134779	4" x 8' UL listed & marked	Bulk / Cut Case	16	16.5	5.14
MFX48X	134670	4" x 8'	Bulk	10	10	3.14
MFX48XZW	137015	4" x 8'	Bulk / Cut Case	16	13	5.14
MFX58	135677	5" x 8'	Retail Bag	6	8	2.92
MFX58X	135684	5" x 8'	Bulk	6	8	2.92
MFX58XZW	130832	5" x 8'	Bulk / Cut Case	6	8	2.92
MFX68	130696	6" x 8'	Retail Bag	4	7	2.79
MFX68X	135707	6" x 8'	Bulk	4	7	2.79
MFX68XZW	130795	6" x 8'	Bulk / Cut Case	4	7	3.12
MFX78X	137688	7" x 8'	Bulk	5	10	5.18
MFX88X	138685	8" x 8'	Bulk	4	9	5.18



Scan this QR code to view installation, feature and benefit videos




- Ideal for use in bathroom fan venting and other general purpose exhaust applications
- Made from 3 ply aluminum foil laminate
- Maximum operating temperature of 250°F



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
AF325	133000	3" x 25'	Standard Carton	1	2	0.44
AF425	133017	4" x 25'	Standard Carton	1	2	0.44
AF450	133253	4" x 50'	Standard Carton	1	4	0.60
AF525	133048	5" x 25'	Standard Carton	1	3	0.44
AF625	133055	6" x 25'	Standard Carton	1	3	0.45
AF725	133079	7" x 25'	Standard Carton	1	4	0.45
AF825	133086	8" x 25'	Standard Carton	1	4	0.72
AF1025	133109	10" x 25'	Standard Carton	1	5	1.22
AF1225	133116	12" x 25'	Standard Carton	1	7	1.22
AF1425	133178	14" x 25'	Standard Carton	1	8	1.44
AF1625	133185	16" x 25'	Standard Carton	1	9	1.98
AF1825	133192	18" x 25'	Standard Carton	1	11	2.48
AF2025	133208	20" x 25'	Standard Carton	1	12	2.72



Scan this QR code to view installation, feature and benefit videos




- Ideal for use in bathroom fan venting and other general purpose exhaust applications
- Made from 3 ply aluminum foil laminate
- Maximum operating temperature of 250°F

NOTE:  
Not for use in dryer venting applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
AF325UL	136032	3" x 25'	Standard Carton	1	2	0.44
AF325ULPZ	133277	3" x 25'	Polybag	4	8	1.26
AF425UL	136049	4" x 25'	Standard Carton	1	2	0.44
AF425ULPZW	133260	4" x 25'	Polybag / Cut Case	8	17	2.13
AF450UL	136216	4" x 50'	Standard Carton	1	4	0.60
AF525UL	136056	5" x 25'	Standard Carton	1	3	0.44
AF625UL	136063	6" x 25'	Standard Carton	1	3	0.45
AF625ULPZW	136292	6" x 25'	Polybag / Cut Case	6	10	2.28
AF725UL	136070	7" x 25'	Standard Carton	1	4	0.45
AF825UL	136087	8" x 25'	Standard Carton	1	4	0.72
AF1025UL	136100	10" x 25'	Standard Carton	1	5	1.22
AF1225UL	136124	12" x 25'	Standard Carton	1	7	1.22
AF1425UL	136148	14" x 25'	Standard Carton	1	8	1.44
AF1625UL	136162	16" x 25'	Standard Carton	1	9	1.98
AF1825UL	136186	18" x 25'	Standard Carton	1	11	2.48
AF2025UL	136209	20" x 25'	Standard Carton	1	12	2.72



Scan this QR code to view installation, feature and benefit videos



- Ideal for general purpose exhaust applications
- Made from 2 ply metalized foil and polyester
- Maximum operating temperature of 250°F

NOTE:  
Not for use in dryer venting applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MC425	510016	4" x 25'	Standard Carton	1	2	0.44
MC525	510023	5" x 25'	Standard Carton	1	3	0.44
MC625	520008	6" x 25'	Standard Carton	1	3	0.45
MC825	520015	8" x 25'	Standard Carton	1	4	0.72
MC1025	520022	10" x 25'	Standard Carton	1	5	1.22
MC1225	520039	12" x 25'	Standard Carton	1	7	1.22

**UL 181 LISTED & MARKED**

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MC325UL	520190	3" x 25'	Standard Carton	4	8	1.47
MC425UL	520206	4" x 25'	Standard Carton	4	8	1.47
MC525UL	520213	5" x 25'	Standard Carton	4	10	1.07
MC625UL	520220	6" x 25'	Standard Carton	4	10	1.61
MC725UL	520237	7" x 25'	Standard Carton	4	11	1.98
MC825UL	520244	8" x 25'	Standard Carton	4	12	2.55
MC925UL	520503	9" x 25'	Standard Carton	4	14	5.13
MC1025UL	520251	10" x 25'	Standard Carton	4	16	5.13
MC1225UL	520268	12" x 25'	Standard Carton	2	14	2.81
MC1425UL	520275	14" x 25'	Standard Carton	2	15	2.75
MC1625UL	520282	16" x 25'	Standard Carton	2	17	2.75
MC1825UL	520299	18" x 25'	Standard Carton	1	11	2.98
MC2025UL	520305	20" x 25'	Standard Carton	1	11	2.37



Scan this QR code to view installation, feature and benefit videos




- Ideal for general purpose exhaust applications including bathroom fan venting and surface mounted humidifier units
- Made from 2 ply grey vinyl

NOTE:  
Not for use in dryer venting applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
GFD425	400881	4" x 25'	Standard Carton	1	3	0.44
GFD525	400898	5" x 25'	Standard Carton	1	4	0.44
GFD625	400904	6" x 25'	Standard Carton	1	4	0.45
GFD825	400928	8" x 25'	Standard Carton	1	5	0.72



Scan this QR code to view installation, feature and benefit videos






- Ideal for general purpose exhaust applications including bathroom fan venting and surface mounted humidifier units

NOTE:  
Not for use in dryer venting applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
FD38EZW	130467	3" x 8'	Retail Bag / Cut Case	10	6	3.35
FD310E	230563	3" x 10'	Retail Bag	10	8	0.90
FD350E	130580	3" x 50'	Standard Carton	1	4	0.54
FD420ZW	130863	4" x 20'	Retail Bag / Cut Case	12	19	1.77
FD450E	131464	4" x 50'	Standard Carton	1	5	0.54
FD610EZW	130856	6" x 10'	Polybag / Cut Case	4	5	0.90



Scan this QR code to view installation, feature and benefit videos



- UL 181 listed as a class 1 air duct
- UV inhibited black polyethylene jacket
- Inner core constructed with corrosion resistant galvanized wire
- Formaldehyde free, energy efficient fibreglass insulation

**R-4.2 INSULATION**

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BPC325	287000	3" x 25'	Standard Carton	1	6	1.40
BPC425	287130	4" x 25'	Standard Carton	1	6	1.40
BPC525	287116	5" x 25'	Standard Carton	1	7	1.40
BPC625	287017	6" x 25'	Standard Carton	1	7	1.40
BPC725	287024	7" x 25'	Standard Carton	1	8	2.10
BPC825	287123	8" x 25'	Standard Carton	1	9	2.10
BPC925	287109	9" x 25'	Standard Carton	1	10	2.93
BPC1025	287031	10" x 25'	Standard Carton	1	11	2.93
BPC1225	287048	12" x 25'	Standard Carton	1	13	3.91
BPC1425	287055	14" x 25'	Standard Carton	1	17	6.26
BPC1625	287062	16" x 25'	Standard Carton	1	20	6.26
BPC1825	287079	18" x 25'	Standard Carton	1	22	9.18
BPC2025	287086	20" x 25'	Standard Carton	1	24	9.18

**R-6.0 INSULATION**

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BPC425R6	606016	4" x 25'	Standard Carton	1	9	1.98
BPC525R6	606023	5" x 25'	Standard Carton	1	11	1.98
BPC625R6	606030	6" x 25'	Standard Carton	1	11	1.98
BPC725R6	606047	7" x 25'	Standard Carton	1	12	1.98
BPC825R6	606054	8" x 25'	Standard Carton	1	14	2.80
BPC925R6	606122	9" x 25'	Standard Carton	1	16	2.80
BPC1025R6	606061	10" x 25'	Standard Carton	1	17	3.77
BPC1225R6	606078	12" x 25'	Standard Carton	1	20	3.77
BPC1425R6	606085	14" x 25'	Standard Carton	1	26	4.88
BPC1625R6	606092	16" x 25'	Standard Carton	1	31	7.54
BPC1825R6	606108	18" x 25'	Standard Carton	1	34	7.54
BPC2025R6	606115	20" x 25'	Standard Carton	1	37	10.77



- UL 181 listed as a class 1 air duct
- UV inhibited black polyethylene jacket
- Inner core constructed with corrosion resistant galvanized wire
- Formaldehyde free, energy efficient fibreglass insulation

**R-8.0 INSULATION**

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BPC425R8	700011	4" x 25'	Standard Carton	1	10	2.67
BPC525R8	700028	5" x 25'	Standard Carton	1	11	2.67
BPC625R8	700035	6" x 25'	Standard Carton	1	12	2.67
BPC725R8	700042	7" x 25'	Standard Carton	1	14	3.63
BPC825R8	700059	8" x 25'	Standard Carton	1	15	3.63
BPC925R8	700066	9" x 25'	Standard Carton	1	16	4.74
BPC1025R8	700073	10" x 25'	Standard Carton	1	19	4.74
BPC1225R8	700080	12" x 25'	Standard Carton	1	21	6.00
BPC1425R8	700097	14" x 25'	Standard Carton	1	24	8.96
BPC1625R8	700103	16" x 25'	Standard Carton	1	26	8.96
BPC1825R8	700110	18" x 25'	Standard Carton	1	29	12.52



- UL 181 listed as a class 1 air duct
- Metalized, tear resistant silver jacket is UV and fire resistant
- Inner core constructed with corrosion resistant, galvanized wire
- Formaldehyde free, energy efficient fibreglass insulation

NOTE:  
Ideal for attic installations

**R-4.2 INSULATION**

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SPC425	530014	4" x 25'	Standard Carton	1	6	1.40
SPC525	530021	5" x 25'	Standard Carton	1	7	1.40
SPC625	530038	6" x 25'	Standard Carton	1	8	1.40
SPC725	530045	7" x 25'	Standard Carton	1	10	2.10
SPC825	530052	8" x 25'	Standard Carton	1	11	2.10
SPC925	530069	9" x 25'	Standard Carton	1	11	2.93
SPC1025	530076	10" x 25'	Standard Carton	1	11	2.93
SPC1225	530083	12" x 25'	Standard Carton	1	12	3.91
SPC1425	530090	14" x 25'	Standard Carton	1	18	6.26
SPC1625	530106	16" x 25'	Standard Carton	1	20	6.26
SPC1825	530113	18" x 25'	Standard Carton	1	22	9.18
SPC2025	530120	20" x 25'	Standard Carton	1	24	9.18

**R-6.0 INSULATION**

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SPC425R6	530502	4" x 25'	Standard Carton	1	9	1.98
SPC525R6	530519	5" x 25'	Standard Carton	1	11	1.98
SPC625R6	530526	6" x 25'	Standard Carton	1	12	1.98
SPC725R6	530533	7" x 25'	Standard Carton	1	15	2.80
SPC825R6	530540	8" x 25'	Standard Carton	1	17	2.80
SPC925R6	530618	9" x 25'	Standard Carton	1	18	3.77
SPC1025R6	530557	10" x 25'	Standard Carton	1	19	3.77
SPC1225R6	530564	12" x 25'	Standard Carton	1	20	4.88
SPC1425R6	530571	14" x 25'	Standard Carton	1	28	7.54
SPC1625R6	530588	16" x 25'	Standard Carton	1	31	7.54
SPC1825R6	530595	18" x 25'	Standard Carton	1	34	10.77
SPC2025R6	530601	20" x 25'	Standard Carton	1	37	10.77



Scan this QR code to view installation, feature and benefit videos

# INSULATED DUCT - SILVER JACKET WITH REINFORCED SCRIM INSULATION UL 181 CLASS 1 AIR DUCT



- UL 181 listed as a class 1 air duct
- Metalized, tear resistant silver jacket is UV and fire resistant
- Inner core constructed with corrosion resistant, galvanized wire
- Formaldehyde free, energy efficient fibreglass insulation

NOTE:  
Ideal for attic installations

## R-8 INSULATION

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SPC425R8	530700	4" x 25'	Standard Carton	1	10	2.67
SPC525R8	530717	5" x 25'	Standard Carton	1	11	2.67
SPC625R8	530724	6" x 25'	Standard Carton	1	12	2.67
SPC725R8	530731	7" x 25'	Standard Carton	1	14	3.63
SPC825R8	530748	8" x 25'	Standard Carton	1	15	3.63
SPC925R8	530755	9" x 25'	Standard Carton	1	16	4.74
SPC1025R8	530762	10" x 25'	Standard Carton	1	19	4.74
SPC1225R8	530779	12" x 25'	Standard Carton	1	21	6.00
SPC1425R8	530786	14" x 25'	Standard Carton	1	24	8.96
SPC1625R8	530793	16" x 25'	Standard Carton	1	26	8.96
SPC1825R8	530809	18" x 25'	Standard Carton	1	29	12.54



Scan this QR code to view installation, feature and benefit videos

## FIND THE RIGHT PRODUCT FOR YOUR VENTING NEEDS

### Ducts and Hook Up Kits



APPLICATION						
<b>SOLUTIONS</b>						
UL158 A Listed	✓	✓		✓		
Tight Space Dryer Hook Up					✓	
Max Operating Temp 435°F	✓	✓	✓		✓	
Max Operating Temp 250°F				✓		✓
Offers Max Flexibility				✓		✓
Max Durability for robust install	✓	✓				
Available Sizing	4"	4"	3" - 8"	4"	4"	3" - 20"



For more information about these products, visit our website at [www.dundasjafine.com](http://www.dundasjafine.com)

# KITS



**NUT DRIVER READY!**

- Cammed louvers on ProVent™ cap easily pivot to help prevent sticking
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Cap can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look

**NOTE:**

Includes 4" x 8' ProFlex™ 2158A UL listed and marked transition duct, 2 plastic adjustable clamps and a 4" ProVent™ exhaust hood



Product Code	UPC Code	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
TD48PVKZW6	060672 268184	4" x 8' Duct	Retail Box / Cut Case	6	9	2.05

ProVent Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	6.75"	6.25"	11.5"



Scan this QR code to view installation, feature and benefit videos





**NUT DRIVER READY!**

- Removable pest screen on ProMax™ cap allows for easy cleaning of lint and debris
- Snug fit backdraft damper has been redesigned for superior noise reduction
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Cap can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun

**NOTE:**  
Includes 4" x 8' ProFlex™ 2158A UL listed and marked transition duct, 2 plastic adjustable clamps and a 4" ProMax™ wide mouth exhaust hood



Product Code	UPC Code	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
TD48PMKZW6	268160	4" x 8' Duct	Retail Box / Cut Case	6	10	2.05

ProMax Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	6.75"	6.25"	15"



Scan this QR code to view installation, feature and benefit videos



- Cammed louvers on ProGard™ cap easily pivot to help prevent sticking
- Low profile pest guard can be easily removed for cleaning
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement

**NOTE:**  
Includes 4" x 8' ProFlex™ 2158A UL listed transition duct, 2 plastic adjustable clamps and a 4" ProGard™ exhaust hood



Product Code	UPC Code	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
TD48PGKZW6	602063	4" x 8' Duct	Retail Box / Cut Case	6	10	2.05

ProGard Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	7.25"	6.50"	13.5"



Scan this QR code to view installation, feature and benefit videos



- Used to vent electric clothes dryers indoors when outdoor venting is not possible
- Includes 4" x 5' flexible aluminum foil duct, 2 plastic clamps, plastic lint reservoir and optional mounting ring
- Ideal for use in apartments, condominiums and R.V.s

NOTE:  
Not for use with gas dryer venting applications



Product Code	UPC Code	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
TDIDVKZW	420346	4" x 5' - Duct	Retail Box / Cut Case	12	15	2.39



Scan this QR code to view installation, feature and benefit videos



**NUT DRIVER READY!**

- Ideal for bathroom fan venting applications that require a wall style installation
- Cammed louvers on ProVent™ cap easily pivot to help prevent sticking
- UV resistant plastic protects the cap from harmful effects of the sun

NOTE:  
Includes 4" x 5' aluminum duct, 2 plastic adjustable clamps, 3" - 4" plastic increaser and a 4" ProVent™ exhaust hood



Product Code	UPC Code	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
EXWTZW	240012	4" x 5' Vinyl Duct	Retail Box / Cut Case	6	7.13	1.49

ProVent Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	6.75"	6.25"	11.5"



Scan this QR code to view installation, feature and benefit videos



- Directs warm, moist air from your electric clothes dryer back into your home
- Includes a heat keeper unit, removable lint cap and 2 plastic adjustable clamps
- Features a safety valve that helps eliminate back pressure

NOTE:  
Not for use with gas clothes dryers



Product Code	UPC Code	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
CHK100ZW6	280018	4"	Retail Box / Cut Case	6	4.5	0.83



Scan this QR code to view installation, feature and benefit videos



- Includes 4" x 8' ProFlex™ 2158A listed and marked transition duct, a plastic connector piece and an optional extension piece for dryers with recessed exhaust ports
- Offers a safe and efficient way to connect your dryer transition duct to the back of your dryer
- Helps prevent the duct from being crushed and improves airflow
- Connector piece is made of polypropylene containing fire retardant additive which meets UL94 VO standard for flame resistance
- Friction fit connection to dryer requires no clamps or duct tape for attachment



Product Code	UPC Code	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
TD48D2DZW	131754	4" x 8' Duct	Retail Box / Cut Case	8	11	1.60

Material: Polypropylene



Assembly required.  
Snaps together easily.



Scan this QR code to view installation, feature and benefit videos



- Includes 4" x 8' semi-rigid aluminum duct, a plastic connector piece and an optional extension piece for dryers with recessed exhaust ports
- Helps prevent the duct from being crushed and improves airflow
- Connector piece is made of polypropylene containing fire retardant additive which meets UL94 VO standard for flame resistance
- Friction fit connection to dryer requires no clamps or duct tape for attachment
- Threads onto duct for easy assembly



Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
MF48D2DZW	131761	4" x 8' Duct	Retail Box / Cut Case	10	13.6	3.9

**Material:** Polypropylene



Scan this QR code to view installation, feature and benefit videos



- 4" x 8' UL 2158A listed and marked class 0 semi-rigid aluminum duct is thicker than our standard aluminum duct
- Contains two 4" galvanized steel worm drive clamps
- Two pre-attached all aluminum elbows are flame resistant and designed to achieve tight 0-90° turns

NOTE:

Easy to install and meets or exceeds all dryer manufacturer specifications



Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
MF48ULMK	134816	4" x 8' Duct	Retail Box	2	5.69	1.93



Scan this QR code to view installation, feature and benefit videos



# ACCESSORIES



## ProClean DRYER LINT REMOVAL KIT



3 piece kit includes:


- 10' Dryer Vent Duct Brush
- 36" Lint Trap Brush
- Vacuum Hose Attachment

NOTE:

Helps keep the dryer running safely and efficiently. Increasing the dryer's performance and reduces the risk of dryer vent fire by removing lint build up in all areas of the dryer and dryer duct.



Product Code	UPC Code	Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
BPCK	060672	N/A	Retail Box / Cut Case	5	9.3	1.58



Scan this QR code to view installation, feature and benefit videos





- Helps remove lint build up and debris in your dryer duct and other general ducting
- Can be used manually or attached to a drill for increased power
- Includes a 4" diameter brush head and four 2' flexible rods to extend the brush up to 8' in length
- Flexible nylon rods allow for up to 90° turns



Product Code	UPC Code	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PCPBZW	150021	N/A	Retail Clamshell / Cut Case	6	7	0.89



- Ideal for cleaning around household appliances
- Easily removes lint trapped deep inside the clothes dryer lint trap
- Cleans refrigerator coils to help keep it running cooler and more efficiently



Product Code	UPC Code	Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
PCABXZW	150038	27"	Bulk / Cut Case	12	3	0.37



Scan this QR code to view installation, feature and benefit videos



Scan this QR code to view installation, feature and benefit videos



- Provides a secure and stable connection from the dryer to the wall
- Easily threads onto all types of dryer ducts without the need for clamps
- Simplifies dryer maintenance and overall safety by providing a quick access point to the dryer duct for cleaning
- Ideal for connecting dryer ducts to exhaust systems



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
EZCNZW	803019	4"	Retail Box / Cut Case	6	2.5	0.60

**Material:** Polypropylene

Collar Size	Dimensions	
	C	D
4"	6.25"	3.75"



Scan this QR code to view installation, feature and benefit videos




- Connects flexible foil and semi-rigid ducts
- Ideal for extending the exhaust collar of your clothes dryer
- Designed with one crimped end and one straight end
- Made of aluminum

**NOTE:**  
Not for in-wall use



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
FDC4	131556	4" with clamps	Retail Bag	12	2	0.94
FDC4XZW	131457	4"	Bulk / Cut Case	12	1.25	0.54
FDC56ZW	131594	5"- 6"	Retail Bag / Cut Case	12	3	0.73

**Material:** Aluminum



Scan this QR code to view installation, feature and benefit videos

# DRYER TO DUCT CONNECTOR



- Offers a safe and efficient way to connect your dryer duct to the back of your dryer
- Helps prevent the duct from being crushed and improves airflow
- Made of polypropylene containing fire retardant additive which meets UL94 V0 standard for flame resistance
- Friction fit connection to dryer requires no clamps or duct tape for attachment
- Threads onto duct for easy assembly
- Removes easily for regular cleaning of dryer duct



Product Code	UPC Code	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
D2DPX	060672 131747	4"	Bulk	60	29	1.67

**Material:** Polypropylene



Scan this QR code to view installation, feature and benefit videos



# THE BEST GETS A FACELIFT



FITS OVER MOST 3" AND 4" VENT CAPS

NUT DRIVER READY!



OPENS UP FOR REGULAR MAINTENANCE





- Allows for easy attachment of current in-wall oval shaped ducting to round dryer transition ducting.
- Made of high impact polystyrene, the built in threading system allows for a quick connection to flexible aluminum foil or semi-rigid aluminum dryer ducts with no clamps or duct tape required.
- A 4" galvanized steel worm drive clamp to connect the in-wall oval shaped duct to the oval portion of the adapter.
- The adapter can also be easily disconnected for regular cleaning of the dryer duct.



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
R2OZW	802043	4"	Retail Box / Cutcase White	4	2.75	0.57

**Material:** High Impact Polystyrene



Scan this QR code to view installation, feature and benefit videos




- Can be used to vent most types of heating units
- All aluminum 4 piece construction is fully adjustable to 90°
- One crimped end facilitates install



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
E3E	130207	3"	Bulk	50	6	2.53
E3E24ZW	300716	3"	Bulk / Cut Case	24	4	1.33
E432	300426	4"	Bulk	32	7.2	2.50
E4E	130191	4"	Bulk	50	9	5.00
E4E24ZW	300266	4"	Bulk / Cut Case	24	4.38	2.00

**Material:** Aluminum



Scan this QR code to view installation, feature and benefit videos



**NEW**



- Provides a space saving solution for your dryer venting
- Prevents dryer duct from being crushed
- Built in trim cover to complete finished look
- Suitable for use with gas and electric dryer applications

NOTE:  
To be used in 2" x 4" or 2" x 6" wall applications



Product Code	UPC Code	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MDRB	802128	4"	Bulk	2	4	0.78

**Material:** Steel



Scan this QR code to view installation, feature and benefit videos




- Dryer can be pushed up against the wall of the laundry room, saving space
- Prevents duct from being crushed
- Oval to round duct adapter threads onto duct requiring no clamps for installation
- Suitable for gas and electric dryer applications



Product Code	UPC Code	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
DRB4XZW	802005	4"	Bulk / Cut Case	2	4	1.04

**Material:** High Impact Polystyrene Meets UL Standard 94HB tests for flammability



Scan this QR code to view installation, feature and benefit videos



- Helps to prevent cold air from entering the home through the dryer duct
- Molded from high impact plastic
- Features a one-way direction air flow design




Product Code	UPC Code	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
DB4ZW	060672 280100	4"	Bulk / Cut Case	12	1.69	0.51

**Material:** Polypropylene




Scan this QR code to view installation, feature and benefit videos



- Ideal for use with flexible or semi-rigid ducts
- No tools necessary for installation as clamps open and close with pressure



Product Code	UPC Code	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
2TC4	131358	4"	Retail Bag - 2 Pack	50	7	0.42
TC4	300204	4"	Bulk	50	3	0.29



Scan this QR code to view installation, feature and benefit videos





**NUT DRIVER READY!**

- Ideal for use with semi-rigid or rigid aluminum ducts
- Made of heavy duty galvanized steel
- Ideal for fastening ducts to aluminum pipes or elbows
- Easily adjustable using a hex or flat head screwdriver



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MC3ZW	138722	3"	Bulk / Cut Case	50	4.25	0.28
2MC4E	131280	4"	Retail Bag - 2 Pack	20	4	0.29
MC4X	130238	4"	Bulk	200	20	1.11
MC4ZW	130276	4"	Bulk / Cut Case	50	5.06	0.28
2MC5E	131297	5"	Retail Bag - 2 Pack	20	5	0.83
MC5ZW	130818	5"	Bulk / Cut Case	25	2	0.28
2MC6E	131303	6"	Retail Bag - 2 Pack	20	5	0.83
MC6ZW	300310	6"	Bulk / Cut Case	20	2.69	0.28

**Material:** Galvanized Steel.





Scan this QR code to view installation, feature and benefit videos



- Ideal for use with flexible ducts
- Features a quick-release tab for reuse on ducts up to 4"
- Suitable for use on both 3" and 4" ducts
- 2 pack




Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
2C234ZW	130047	3" - 4"	Retail Bag - 2 Pack / Cut Case	20	0.75	0.18



Scan this QR code to view installation, feature and benefit videos



# J-CHANNELS



- Mounts on exterior wall prior to installation of vinyl siding or stucco
- Allows for Dundas Jafine vent caps to seamlessly attach to channel without the use of screws or caulking
- Provides a secure, easy to install flush mount for vent caps
- Allows for quick and easy cap replacement in the future
- Channels moisture away from substrate and venting hole
- Can be used with Dundas Jafine ProVent™, ProGard™, EzAccess™ and ProShield™ caps and hoods



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
J34X	270842	3"- 4"	Bulk	42	8	1.43
J56X	271009	5"- 6"	Bulk	36	15	3.60
J78X	271139	7"- 8"	Bulk	56	26	5.07

**Material:** Polypropylene

J Channel



Collar Size	Dimensions		
	H	W	D
3", 4"	8.5"	7.5"	1.25"
5", 6"	11"	10.25"	1.5"
7", 8"	13"	12.25"	1.5"



Scan this QR code to view installation, feature and benefit videos

# THE BEST GETS A FACELIFT



ProMax 4" WIDE MOUTH EXHAUST ASSEMBLY



ProVent 4" LOUVERED EXHAUST ASSEMBLY



ProVent 6" LOUVERED EXHAUST ASSEMBLY






- Connects 3" – 4" ducts together
- Designed to reduce air leaks in duct connections
- Light weight design

NOTE:  
Ideal for bathroom fan exhaust applications



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
INC34EZW	130214	3"- 4"	Bulk / Cut Case	10	0.94	0.21
INC34Z	130214	3"- 4"	Bulk	20	2	0.42

**Material:** Polypropylene



Scan this QR code to view installation, feature and benefit videos




- Connects 3" – 4" ducts together
- Has an option of a 3" crimped end or a 4" crimped end

NOTE:  
Designed to reduce air leaks in duct connections



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
RA34	500505	3"- 4"	Bulk - Increaser	12	2	0.45
RA43	500512	4"- 3"	Bulk - Decreaser	12	2	0.45

**Material:** Aluminum



Decreaser version



Scan this QR code to view installation, feature and benefit videos



- New under register installation tab design eliminates the need for magnets
- Made from a high quality, durable plastic
- Ideal for floor, wall or ceiling applications
- Helps keep air flow away from plants, furniture and drapery
- Extends from 7" to 14" to accommodate various register sizes

Product Code	UPC Code	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
AD96ZW	170227	7"- 14"	Retail Box / Cut Case	24	14	1.57

**Material:** Plastic



Compatible with wood, metal or plastic registers.



Scan this QR code to view installation, feature and benefit videos




- New under register installation tab design eliminates the need for magnets
- Made from a high quality, durable plastic that is guaranteed not to break or crack
- Ideal for floor, wall or ceiling applications
- Helps keep air flow away from plants, furniture and drapery
- Extends from 7" to 14" to accommodate various register sizes

Product Code	UPC Code	Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
ADSPZW	170258	7"- 14"	Retail Box /Cut Case	24	9.1	1.57

**Material:** Shatterproof Plastic



Compatible with wood, metal or plastic registers.



Scan this QR code to view installation, feature and benefit videos



- Made from durable plastic
- Extends up to 3' long

NOTE:  
Ideal for redirecting air away from furniture


Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
EXTVENT	170067	N/A	Retail Box	6	6.44	1.43

**Material:** Plastic

Dimensions		
H	W	D
1.5"	10.94"	20" - 36"




Scan this QR code to view installation, feature and benefit videos



- Used in conjunction with metal floor or ceiling air register vents to help improve air distribution in your home by closing off registers in unused spaces
- The 4" x 10" versions are available in white and bronze and are printed with register markings to replicate an actual air register
- The 8" x 15" version is plain white and can be cut to size to accommodate a variety of registers

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
MVC410B10	170838	4" x 10"	Retail Bag - 2 Pack - Bronze	10	3	0.04
MVC410W10	170845	4" x 10"	Retail Bag - 2 Pack - White	10	3	0.04
MVC815	170821	8" x 15"	Retail Bag - 3 Pack - White	25	25	20



Scan this QR code to view installation, feature and benefit videos

# FEATURES, BENEFITS AND HOW-TO VIDEOS FOR YOUR VENTING PROJECTS



- Helps reduce heat / cool loss as well as condensation build-up
- Includes a black polyethylene jacket

NOTE:  
Ideal for insulating existing rigid or semi-rigid round ducts

## R 4.2

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BIS310	287192	3" x 10' - R 4.2	Standard Carton	4	5	1.61
BIS310P	286003	3" x 10' - R 4.2	Retail Polybag	4	5	1.61
BIS410	287208	4" x 10' - R 4.2	Standard Carton	4	6	1.61
BIS410P	286010	4" x 10' - R 4.2	Retail Polybag	4	6	1.61
BIS510	287215	5" x 10' - R 4.2	Standard Carton	4	6	1.61
BIS510P	286027	5" x 10' - R 4.2	Retail Polybag	4	6	1.61
BIS610	287222	6" x 10' - R 4.2	Standard Carton	4	7	1.61
BIS610P	286034	6" x 10' - R 4.2	Retail Polybag	4	7	1.61
BIS710	287239	7" x 10' - R 4.2	Standard Carton	4	8	3.14
BIS810	287246	8" x 10' - R 4.2	Standard Carton	4	9	3.14
BIS1010	287260	10" x 10' - R 4.2	Standard Carton	4	11	5.13

Our YouTube channel offers lots of great videos, highlighting the features & benefits of our products. Our install videos show you the easy step by step install process along with the tools required and expected time from start to finish. We also have some great dryer fire education posted for your viewing pleasure!



DUCT INSULATION SLEEVES  
BLACK POLYETHYLENE JACKET




- Helps reduce heat / cool loss as well as condensation build-up
- Includes a black polyethylene jacket

NOTE:  
Ideal for insulating existing rigid or semi-rigid round ducts

R 6.0

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BIS45R6	284023	4" x 5' - R 6.0	Standard Carton	8	22	1.61
BIS65R6	284061	6" x 5' - R 6.0	Standard Carton	8	24	5.13



# WE'VE GOT YOUR BACK

YOU CAN RELY ON US FOR YOUR APPLIANCE  
VENTING PROJECT NEEDS



While these past years have been challenging, we have continued to meet the demands of our customers by delivering quality products. We look forward to continue being your go to partner for all your air distribution project needs.






- Excellent for repairing heating and cooling ducts and eaves troughs

NOTE:  
Ideal for use on roof or chimney flashing

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MRR1410	140039	14" x 10' - Mill Finish	Bulk	10	20	1.55
MRR145	140015	14" x 5' - Mill Finish	Bulk	10	10	1.55
MRR185	140022	18" x 5' - Mill Finish	Bulk	10	13	2.58
MRR1850	140046	18" x 50' - Mill Finish	Bulk	1	12	0.46
MRR2010	140053	20" x 10' - Mill Finish	Bulk	10	26	2.58
WRR1410	140077	14" x 10' - White Finish	Bulk	10	22	1.55



Scan this QR code to view installation, feature and benefit videos



- Acts as a secondary lint trap for your electric clothes dryer
- Saves energy by allowing your dryer to run more smoothly and efficiently
- Includes two galvanized steel worm gear clamps

NOTE:  
Not for use with gas clothes dryers



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
PCLT4WZW	150045	4"	Retail Package	6	6	0.8

**Material:** Polystyrene  
**Collar Sizes:** 4"



Scan this QR code to view installation, feature and benefit videos

# GENERAL AIR DISTRIBUTION



**NUT DRIVER READY!**



- Fixed louver intake system allows fresh air to enter the home
- Molded screens help prevent pests from entering the duct
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
IH3WXZ	291045	3"	Bulk - White	12	7	3.41
IH3WXZW	291212	3"	Bulk / Cut Case - White	12	7	2.89
IH4WXZ	291069	4"	Bulk - White	12	7	3.41
IH4WXZW	290444	4"	Bulk / Cut Case - White	12	7	2.89
IH5WXZ	291120	5"	Bulk - White	12	11	6.41
IH5WXZW	290451	5"	Bulk / Cut Case - White	8	7	3.35
IH6WXZ	291144	6"	Bulk - White	12	11	6.41
IH6WXZW	290468	6"	Bulk / Cut Case - White	8	7	3.35
IH6BLKXZ		6"	Bulk / Black	12	11	6.41

**Material:** Polypropylene with UV inhibitor



Also available in black.

Collar Size	Assembled Dimensions		
	H	W	D
3", 4"	6.75"	6.25"	11.5"
5", 6"	10"	9.38"	11.5"

Scan this QR code to view installation, feature and benefit videos







**NUT DRIVER READY!**

- Fixed louver intake system allows fresh air to enter the home
- Molded screens help prevent pests from entering the duct
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
IC3WX	291007	3"	Bulk - White	42	16	2.82
IC4BLKX	291571	4"	Bulk - Black	42	16	2.82
IC4WX	291021	4"	Bulk - White	42	16	2.82
IC5WX	291083	5"	Bulk - White	24	15	3.60
IC6BLKX	291588	6"	Bulk - Black	24	15	3.60
IC6WX	291106	6"	Bulk - White	24	15	3.60
IC7WX	291168	7"	Bulk - White	24	22	5.07
IC7WXZ	291168	7"	Bulk - White	5	3.25	1.17
IC8BLKX	291540	8"	Bulk - Black	5	3.25	1.17
IC8WX	291182	8"	Bulk - White	24	22	5.07
IC8WXZ	291182	8"	Bulk - White	5	3.25	1.17

**Material:** Polypropylene with UV inhibitor

Collar Size	Assembled Dimensions		
	H	W	D
3", 4"	6.75"	6.25"	1.5"
5", 6"	10"	9.38"	2.10"
7", 8"	12"	11.13"	1.7"



Also available in black.



Scan this QR code to view installation, feature and benefit videos



- Allows for fresh airflow between rooms
- Includes flange collar and locking ring for suspended ceiling applications
- Features locknut for secure airflow balancing
- Requires no studs for installation
- Smooth finish for easy cleaning
- Ideal for in-wall or suspended ceiling applications

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
DF4PX	275038	4"	Bulk	7	2.8	0.47
DF4WZW	275014	4"	Retail Box / Cut Case	10	2.3	0.73
DF5PX	275021	5"	Bulk	7	3	0.48
DF6PX	275076	6"	Bulk	7	5.9	0.73
DF6WZW	275052	6"	Retail Box / Cut Case	8	3.9	0.88
DF8PX	275083	8"	Bulk	7	6	1.13

**Material:** Polypropylene



Scan this QR code to view installation, feature and benefit videos

# NO BIRDS ALLOWED




**ProMax EXHAUST CAP**  
With a removable pest screen for easy cleaning and keeping birds out.



DIGITAL CATALOG



SPEC SHEETS




INSTALL INSTRUCTIONS



INDUSTRY INFORMATION



WHERE TO BUY



INSTALLATION VIDEOS

PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
2C234ZW	62	BLH4WZW6	5	CHK100ZW6	43	IC8WXZ	79	MC1625UL	29	P430	25	SPC1825R6	34
2MC4E	61	BLH6BLKZW	5	D2DPX	53	IH3BXZ	78	MC1825UL	29	P460	25	SPC1825R8	35
2MC5E	61	BLH6BZW	5	DB4ZW	59	IH3BXZW	78	MC2025UL	29	P4E	25	SPC2025	34
2MC6E	61	BLH6WZW	5	DC4PX	56	IH3WXZ	78	MC325UL	29	P4E20ZW	25	SPC2025R6	34
2TC4	60	BPC1025	32	DC4ZW	56	IH3WXZW	78	MC3ZW	61	PB10	65	SPC425	35
AD96ZW	67	BPC1025R6	32	DF4PX	80	IH4BXZ	78	MC425	29	PBH50WZW	18	SPC425R6	34
ADSP12	68	BPC1025R8	33	DF4WZW	80	IH4BXZW	78	MC425UL	29	PBH50BLKZW	18	SPC425R8	35
ADSPZW	68	BPC1225	32	DF5PX	80	IH4WXZ	78	MC4X	61	PCABXZW	50	SPC525	34
AF1025	27	BPC1225R6	32	DF6PX	80	IH4WXZW	78	MC4ZW	61	PCLT4WZW	76	SPC525R6	34
AF1025UL	28	BPC1225R8	33	DF6WZW	80	IH5BXZ	78	MC525	29	PCPBZW	49	SPC525R8	35
AF1225	27	BPC1425	32	DF8PX	80	IH5BXZW	78	MC525UL	29	PGC4BX	14	SPC625	34
AF1225UL	28	BPC1425R6	32	DRB4XZW	58	IH5WXZ	78	MC5ZW	61	PGC4WX	14	SPC625R6	34
AF1425	27	BPC1425R8	33	E3E	56	IH5WXZW	78	MC625	29	PGC4WXZW	14	SPC625R8	35
AF1425UL	28	BPC1625	32	E3E24ZW	56	IH6BXZ	78	MC625UL	29	PGH4BXZ	6	SPC725	34
AF1625	27	BPC1625R6	32	E432	56	IH6BXZW	78	MC6ZW	61	PGH4WXZ	6	SPC725R6	34
AF1625UL	28	BPC1625R8	33	E4E	56	IH6WXZ	78	MC725UL	29	PMC4BX	12	SPC725R8	35
AF1825	27	BPC1825	32	E4E24ZW	56	IH6WXZW	78	MC825	29	PMC4BXZW	12	SPC825	34
AF1825UL	28	BPC1825R6	32	EXRT	43	INC34EZW	65	MC825UL	29	PMC4WX	12	SPC825R6	34
AF2025	27	BPC1825R8	33	EXTVENT	69	INC34Z	65	MC925UL	29	PMC4WXZW	12	SPC825R8	35
AF2025UL	28	BPC2025	32	EXWTZW	42	J34X	63	MDRB	57	PMH4BLKXZ	4	SPC925	34
AF325	27	BPC2025R6	32	EZCNZW	51	J56X	63	MFX325X	27	PMH4BXZ	4	SPC925R6	34
AF325UL	28	BPC325	32	EZFXZW	20	J78X	63	MFX38	27	PMH4WXZ	4	SPC925R8	35
AF325ULPZ	28	BPC425	32	FD310E	31	LC3BX	13	MFX38X	27	PMH4WZW	4	TC4	60
AF425	27	BPC425R6	32	FD350E	31	LC3WX	13	MFX38XZW	27	PMH4WZWS	4	TD425	22
AF425UL	28	BPC425R8	33	FD38EZW	31	LC4BX	13	MFX425X	23, 26	PSC4WX	15	TD450	22
AF425ULPZW	28	BPC525	32	FD420ZW	31	LC4BXZW	13	MFX42CULXZW	23, 26	PSH4WXZ	8	TD45TC	22
AF450	27	BPC525R6	32	FD450E	31	LC4WX	13	MFX45	23, 26	PVB3EAL	9	TD48D2DZW	44
AF450UL	28	BPC525R8	33	FD610EZW	31	LC4WXZW	13	MFX45X	23, 26	PVB4EAL	9	TD48PGKZW6	40
AF525	27	BPC625	32	FDC4	52	LC4WZW	13	MFX46C2XZW	23, 26	R20ZW	55	TD48PMKZW6	39
AF525UL	28	BPC625R6	32	FDC4XZW	52	LC5BX	13	MFX48	23, 26	RA34	66	TD48PVKZW6	38
AF625	27	BPC625R8	33	FDC56ZW	52	LC5WX	13	MFX48D2DZW	45	RA43	66	TD48TC	22
AF625UL	28	BPC725	32	FUR1520	73	LC6BX	13	MFX48ULMK	46	RL2475	73	TDIDVKZW	41
AF625ULPZW	28	BPC725R6	32	FUR1620	73	LC6WX	13	MFX48ULXZW	23, 26	RL3075	73	UD48	24
AF725	27	BPC725R8	33	FUR1625	73	LC7BX	13	MFX48X	23, 26	RL3675	73	UD48S	24
AF725UL	28	BPC825	32	FUR2020	73	LC7BXZ	13	MFX48XZW	23, 26	RL4P	19	WRR1410	75
AF825	27	BPC825R6	32	FUR2025	73	LC7WX	13	MFX58	27	RL4PZW	19		
AF825UL	28	BPC825R8	33	GFD425	30	LC7WXZ	13	MFX58X	27	RL6P	19		
BHLH4WZW	7	BPC925	32	GFD525	30	LC8BX	13	MFX58XZW	27	RL6PZW	19		
BIS1010	72	BPC925R6	32	GFD625	30	LC8BXZ	13	MFX68	27	SDV4WXZW4	17		
BIS310	72	BPC925R8	33	GFD825	30	LC8WX	13	MFX68X	27	SEVPX	16		
BIS310P	72	BPCK	48	IC3BX	79	LC8WXZ	13	MFX68XZW	27	SEVZW	16		
BIS410	72	BPGH4BZW	6	IC3WX	79	LH3BXZ	5	MFX78X	27	SIS45R6	76		
BIS410P	72	BPGH4BZW6	6	IC4BX	79	LH3WXZ	5	MFX88X	27	SPC1025	34		
BIS45R6	73	BPGH4WZW	6	IC4WX	79	LH4BLKXZ	5	MRR1410	75	SPC1025R6	34		
BIS510	72	BPGH4WZW6	6	IC5BX	79	LH6BLKXZ	5	MRR145	75	SPC1025R8	35		
BIS510P	72	BPMH4BLKZW6	4	IC5WX	79	LH4WXZ	5	MRR185	75	SPC1225	34		
BIS610	72	BPMH4BZW	4	IC6BX	79	LH5BXZ	5	MRR1850	75	SPC1225R6	34		
BIS610P	72	BPMH4WZW	4	IC6WX	79	LH5WXZ	5	MRR2010	75	SPC1225R8	35		
BIS65R6	73	BPMH4WZW6	4	IC7BX	79	LH5WXZW	5	MRR2450	75	SPC1425	34		
BIS710	72	BPSH4WZW	8	IC7BXZ	79	LH6WXZ	5	MRR3650	75	SPC1425R6	34		
BIS810	72	BTD420ZW	22	IC7WX	79	MC1025	29	MVC410B10	70	SPC1425R8	35		
BLH4BLKZW6	5	BTD45	22	IC7WXZ	79	MC1025UL	29	MVC410W10	70	SPC1625	34		
BLH4BZW	5	BTD48	22	IC8BX	79	MC1225UL	29	MVC815	70	SPC1625R6	34		
BLH4BZW6	5	BTD48TC	22	IC8BXZ	79	MC1225	29	P3E	25	SPC1625R8	35		
BLH4WZW	5	BTD48ZW	22	IC8WX	79	MC1425UL	29	P3E20ZW	25	SPC1825	34		



# INNOVATORS IN HOME AIR DISTRIBUTION PRODUCTS



Scan this code to see how we've changed our packaging and the customer experience to help you grow sales





11099 Broadway, Alden, New York, USA 14004  
80 West Drive, Brampton, Ontario, Canada L6T 3T6

1-800-387-2578  
[www.dundasjafine.com](http://www.dundasjafine.com)